

CARBOHYDRATE RESEARCH, VOL. 167 (1987)

AUTHOR INDEX

- ABBAS, S. A., 131
 ANAZAWA, K., 77
 ANDERSON, A. N., 279
 AZUMA, I., 317

 BERNOTAS, R. C., 305, 312
 BERTUCCI, C., 9
 BRADE, H., 1, 291, 295

 CHARON, D., 1, 291
 CHIARA, J.-L., 55
 CHMIELEWSKI, M., 143
 CHOAY, J., 67
 CHRISTIAN, R., 39, 295
 CHŪJŌ, R., c11
 CHURMS, S. C., 239

 D'ACCORSO, N. B., 19, 301
 DE FINA, G. M., 187
 DE LEDERKREMER, R. M., 175, 187
 DUCHAUSSOY, P., 67
 DUTTON, G. G. S., 279

 FERNANDEZ CIRELLI, A., 175
 FUJISHIMA, Y., 317
 FURUHATA, K., 77

 GANEM, B., 305, 312
 GASS, J., 39
 GRIES, P., 87
 GRINDLEY, T. B., 105
 GÓMEZ-SÁNCHEZ, A., 55

 HASEGAWA, A., 317
 HIDALGO, F.-J., 55
 HVIDT, T., 123

 INOUE, Y., c11
 ISHIDA, H., 317
 ITO, Y., 197
 ITOH, M., 77

 JACQUINET, J.-C., 67
 JERONCIC, L. O., 175

 KAŁUZA, Z., 143
 KIGAWA, K., 317
 KISO, M., 317
 KITAGAWA, M., c11
 KIYOHARA, H., 221

 KLIMOV, E. M., c8
 KOSMA, P., 1, 39
 KOCHETKOV, N. K., c8
 KOVÁČ, P., 153
 KRISTEN, H., 87

 LEAL, J. A., 269
 LEDERMAN, I., 67
 LEEK, D. M., 279
 LINDROOS, R., 29

 MAKAROVA, Z. G., c8
 MALYSHEVA, N. M., c8
 MATTA, K. L., 131
 MCPHERSON, J. D., 123
 MERRIFIELD, E. H., 257
 MOLL, H., 291
 MONNIER, V. M., 211

 NAKAHARA, Y., 197, c1
 NILSSON, K. G. I., 95
 NJORGE, F. G., 211
 NUKADA, T., 197

 OGAWA, T., 197, c1
 OGAWA, Y., 317
 OGURA, H., 77
 OIKARINEN, I., 29
 ONDA M., c11
 OTSUKA, Y., 221

 PAROLIS, H., 279
 PETITOU, M., 67
 PEZZONE, M. A., 305
 PINI, D., 9
 PISKORZ, C. F., 131

 RAVENSCROFT, N., 257
 RUPEREZ, P., 269

 SALVADORI, P., 9
 SARFATI, S. R., 291
 SATO, S., 77, 197
 SAYRE, L. M., 211
 SCHULZ, G., 39
 SHITORI, Y., 77
 SINAY, P., 67
 STEPHEN, A. M., 239, 257
 SZAREK, W. A., 123

TACKEN, A., 1, 295
TAYLOR, R. B., 153
THIEL, I. M. E., 19, 301
TORRI, G., 67

UNGER, F. M., 39

VARELA, O., 187
VASKURI, J., 29
VIRTANEN, P. O. I., 29
VOGEL, C., 87

WALTON, D. J., 123
WICKRAMAGE, C. 105

YAMADA, H., 221
YAMAMOTO, Y., c11

ZHULIN, V. M., c8
ZULLINO, G., 9

CARBOHYDRATE RESEARCH, VOL. 167 (1987)

SUBJECT INDEX

- (3*R*,4*R*,5*S*)-5-Acetamido-3,4-piperidinediol: a selective hexosaminidase inhibitor, 312
- Acetyl derivatives of deoxypyranoses, relationship between circular dichroism and structure of, 9
- N*-Acetyl-2'-*O*-methylactosamine, synthesis of, 131
- N*-Acetylneuraminic acid, synthesis of 9-*O*-acyl- and 4-*O*-acetyl-, 77
- Acrylamide, poly-, synthesis of copolymers of KDO residues and, 39
- Acrylonitrile, 2-cyano-3,3-bis(methylthio)-, reaction with 6-amino-6-deoxy-1,2:3,4-di-*O*-isopropylidene- α -D-galactopyranose with, 87
- Alditols, perbenzoylated, ^{13}C -n.m.r. spectra of, 19
- (Alditol-1-yl)-4-nitropyrroles, synthesis of (2-nitrovinyl)amino sugars and 2- and 3-, 55
- Aldononitriles, conformation of benzoyl derivatives of, 301
- Aldononitriles, perbenzoylated, ^{13}C -n.m.r. spectra of, 19
- Alternative syntheses and related n.m.r. studies of precursors for internal β -D-galactopyranosyl residues in oligosaccharides, allowing chain extension at O-4, 153
- Amino acids, *N*-(1-deoxy-D-fructos-1-yl)-, synthetic routes to, by way of reductive amination of hexos-2-uloses, 123
- 6-Amino-6-deoxy-D-galactose, synthesis of derivatives of, 87
- Anti-complementary arabinogalactan from *Angelica acutiloba* Kitagawa, unit structure of the, 221
- Antigen of *Klebsiella* K39, capsular, structure, 279
- Arabinogalactan from *Angelica acutiloba* Kitagawa, unit structure of the anti-complementary, 221
- Bacteriophage-associated lyase activity against *Klebsiella* serotype K64 capsular polysaccharide, 257
- Cell walls of *Penicillium erythromellis*, isolation and partial characterisation of mannoglucogalactans from the, 269
- Circular dichroism and structure of acetyl derivatives of deoxypyranoses, relationship between, 9
- [2 + 2] Cycloaddition of trichloroacetyl isocyanate to glycals, 143
- Cyclomaltohexaose inclusion-complexes, determination of the qualitative host-guest geometrical relationships in, on the basis of measurements of intermolecular proton nuclear Overhauser effects, c11
- N*-(1-Deoxy-D-fructos-1-yl)amino acids, synthetic routes to, by way of reductive amination of hexos-2-uloses, 123
- 3-Deoxy-2-ketoaldonic acid phosphates, g.l.c.-m.s. of methylated derivatives of, 291
- 3-Deoxy-2-ketoaldonic acids and 3-deoxyalditols, g.l.c.-m.s. of partially methylated and acetylated derivatives of, 1
- Determination of the qualitative host-guest geometrical relationships in cyclomaltohexaose inclusion-complexes on the basis of measurements of intermolecular proton nuclear Overhauser effects, c11
- Diethyl dithioacetals, of aldoses, the rearrangement of mono-*O*-isopropylidene derivatives of, 105
- Disaccharides, a simple strategy for changing the regioselectivity of glycosidase-catalysed formation of, 95
- Effect of high pressure on glycosylation under Helferich conditions, c8
- D-Galactitol, (+)-1,5-dideoxy-1,5-imino-, synthesis of, 305
- D-Galactose, 6-amino-6-deoxy-, synthesis of derivatives of, 87
- α -D-Galactosidase inhibitor, synthesis of a potent, 305
- G.l.c.-m.s. of methylated derivatives of 3-deoxy-2-ketoaldonic acid phosphates, 291
- G.l.c.-m.s. of partially methylated and acetylated derivatives of 3-deoxy-2-ketoaldonic acids and 3-deoxyalditols, 1
- D-Glucose, pyrrole compounds during the Mailard reaction under physiological conditions derived from, 211
- Glycals, [2 + 2] cycloaddition of trichloroacetyl isocyanate to, 143
- N*-Glycolylneuraminic acid, synthesis of 9-*O*-acyl- and 4-*O*-acetyl-, 77

- Glycosidase-catalysed formation of disaccharides, a simple strategy for changing the regioselectivity of, 95
- Glycosylation under Helferich conditions, the effect of high pressure on, c8
- Grevillea robusta* gum, studies of the molecular core of, 239
- Gum from *Grevillea robusta*, studies of the molecular core of the, 239
- Heparin pentasaccharide fragment, synthesis of the methyl α -glycoside of a, having high affinity for antithrombin III, 67
- Heptofuranose, 3-deoxy-D-glucosyl-, synthesis of crystalline derivatives of, 175
- Hex-2-enopyranosides, alkyl 3-deoxy-, stereoselective synthesis of α anomers of, 187
- Hex-3-enopyranosid-2-uloses, alkyl 3-deoxy-, stereoselective synthesis of α anomers of, 187
- High pressure, the effect of, on glycosylation under Helferich conditions, c8
- 2-Hydroxyglycals, the reaction of esters of, with alcohols in the presence of *N*-iodosuccinimide, 187
- Immunomodulators, new synthetic, combining a 4-*O*-phosphono-D-glucosamine derivative related to bacterial lipid A with 1-deoxy-*N*-acetylmuramoyl dipeptide analogs, 317
- Isolation and identification of a rhamnosyl-rhamnosyl-3-deoxy-D-manno-octulosonic acid trisaccharide from the lipopolysaccharide of *Acinetobacter calcoaceticus* (10303 NTCC London), 295
- KDO residues, synthesis of copolymers of polyacrylamide and, 39
- Kinetics of oxidation of monosaccharides with cerium(IV), 29
- Klebsiella* serotype K64 capsular polysaccharide, bacteriophage-associated lyase activity against, 257
- Klebsiella* serotype K39: structure of an unusual capsular antigen deduced by use of a viral endoglucosidase, 279
- Lactosamine, *N*-acetyl-2'-*O*-methyl-, synthesis of, 131
- Lipopolysaccharide of *Acinetobacter calcoaceticus* (10303 NTCC London), isolation and identification of a rhamnosyl-rhamnosyl-3-deoxy-D-manno-octulosonic acid trisaccharide from the, 295
- Lyase activity against *Klebsiella* serotype K64 capsular polysaccharide, bacteriophage-associated, 257
- Maillard reaction under physiological conditions, pyrrole compounds derived from D-glucose during, 211
- Mannoglucogalactans from the cell walls of *penicillium erythromellis*, isolation and partial characterisation of, 269
- Methyl α -glycoside of a heparin pentasaccharide fragment having high affinity for antithrombin III, synthesis of the, 67
- Methylated and acetylated derivatives of 3-deoxy-2-ketoaldonic acids and 3-deoxyalditols, g.l.c.-m.s. of partially, 1
- Methylated derivatives of 3-deoxy-2-ketoaldonic acid phosphates, g.l.c.-m.s. of, 291
- 2'-*O*-Methylactosamine, *N*-acetyl-, synthesis of, 131
- Monosaccharides, kinetics of oxidation of, with cerium(IV), 29
- New synthetic immunomodulators combining a 4-*O*-phosphono-D-glucosamine derivative related to bacterial lipid A with 1-deoxy-*N*-acetylmuramoyl dipeptide analogs, 317
- Nitriles, aldono-, conformation of benzoyl derivatives of, 301
- (2-Nitrovinyl)amino sugars and 2- and 3-(alditol-1-yl)-4-nitropyrroles, synthesis of, 55
- D-manno-2-Octulopyranosylonic acid residues, 3-deoxy-, synthesis of copolymers of polyacrylamide and, 39
- Oligogalacturonic acids, phytoalexin elicitor-active, stereocontrolled total synthesis of a synthetic model for, c1
- Oligosaccharides, precursors for β -D-galactopyranosyl residues in, alternative syntheses and related n.m.r. studies of, 153
- Penicillium erythromellis*, isolation and partial characterisation of mannoglucogalactans from the cell walls of, 269
- 3,4-Piperidinediol, (3*R*,4*R*,5*S*)-5-acetamido-, a selective enzyme inhibitor, 312
- Polysaccharide of *Klebsiella* K39, capsular, structure, 279
- Pyrrole compounds derived from D-glucose during the Maillard reaction under physiological conditions, 211
- Reaction of 2-hydroxyglycal esters with alcohols in the presence of *N*-iodosuccinimide. Stereoselective synthesis of α anomers of alkyl 3-deoxyhex-2-enopyranosides and 3,4-dideoxyhex-3-enopyranosid-2-uloses, 187
- Rearrangement of mono-*O*-isopropylidene derivatives of aldose diethyl dithioacetals, 105

- Relationship between circular dichroism and structure of acetyl derivatives of deoxypyranoses, 9
- Rhamnosyl-rhamnosyl-3-deoxy-D-*manno*-octulosonic acid trisaccharide from the lipopolysaccharide of *Acinetobacter calcoaceticus* (10303 NTCC London), isolation and identification of a, 295
- Sialic acids, synthesis of 9-*O*-acetyl- and 4-*O*-acetyl-, 77
- Simple strategy for changing the regioselectivity of glycosidase-catalysed formation of disaccharides, 95
- Stereocontrolled, total synthesis of α -D-GalA-[(1 \rightarrow 4)- α -D-GalA]₈-(1 \rightarrow 4)- β -D-GalA-1 \rightarrow OPr, a synthetic model for phytoalexin elicitor-active oligogalacturonic acids, c1
- Studies of the molecular core of *Grevillea robusta* gum, 239
- Syntheses of (2-nitrovinyl)aminosugars and 2- and 3-(alditol-1-yl)-4-nitropyrroles, 55
- Synthesis of crystalline derivatives of 3-deoxy-D-*gluco*-heptofuranose, 175
- Synthesis of (+)-1,5-dideoxy-1,5-imino-D-galactitol, a potent α -D-galactosidase inhibitor, 305
- Synthesis of heparin fragments: a methyl α -pentoside with high affinity for antithrombin III, 67
- Synthetic routes to *N*-(1-deoxy-D-fructos-1-yl)amino acids by way of reductive amination of hexos-2-uloses, 123
- Tetrazoles, 5-(polybenzoyloxyalkyl)-, conformation of, 301
- Tetrazoles, 5-(polybenzoylalkyl)- and 5-(polyhydroxyalkyl)-, ¹³C-n.m.r. spectra of, 19
- Total synthesis of X Hapten, III³ Fuc α -nLc₄Cer, 197
- Unit structure of the anti-complementary arabinogalactan from *Angelica acutiloba* Kitagawa, 221
- X Hapten, total synthesis of, 197

